

Name: NAOMI low shoe

Code: MB1651ZD

MB16 FOOTWEAR - MERTAL TOP SERIES

Description

Low shoe with Mesh/suede upper S1P, with steel toe cap and puncture-proof with constant thickness. The PU/PU sole, thanks to its special tread pattern and its numerous horizontal channels, guarantees a highly draining effect and is characterised by high flexibility. The side cleats maximise traction on uneven ground, while those in the heel area help stabilise the heel. The mid-sole area, with a groove, is designed to enhance grip on ladders (LG requirement). Non-slip SR grade. The footbed, made of multi-perforated EVA material, have variable thickness anti-shock properties: 3 mm in the front and 10 mm in the heel area.


Antistatic. The 3D TEX (Airmesh) polyester lining is specially designed to allow ventilation of the foot and thus reduce the sweating effect. Equipped in the heel area with a microfibre insert to increase abrasion resistance and, at the same time, to prevent the foot from slipping off.

Main features:

- Particularly wide and comfortable shape assures robustness;
- Sculpted design that adapts to the roughness of the ground;
- Shock-absorbing area;
- Heel area designed to facilitate walking;
- Adapted to all types of activities in industrial sectors.

The product has been designed and manufactured to comply with Regulation (EU) 2016/425 and subsequent amendments.



Category II	Colours BLACK/BLUE	Available Sizes In stock: 35 - 47
Quantity/Carton 10	EC Standards EN ISO 20345  Safety Class: S1P FO LG SR	Important Information Store clean footwear in a cool, dry place, away from heat sources and away from light. Before each use, check that the shoes are in perfect condition and replace them if they are not intact. The shoes must be cleaned with a soft brush and water. Do not use chemicals that could damage the materials.
Dexterity		Storage and cleaning