



Sir Safety System S.p.A. Single-member company Wholly-owned subsidiary of Sir Holding Srl Via dei Fornaciai, 9 - Santa Maria degli Angeli 06081 Assisi - Perugia - Italy Tel.+39 075.8043737 - Fax +39 075.8048686 VAT Nr. IT 03359340548 Viale Europa 74 20090 Cusago Milano Tel. +39 02.90394575 Fax +39 02.90394441 export@sirsafety.com www.sirsafety.com Quality Management System Certificate UNI EN ISO 9001:2015

Name: OVERCAP SHOE Code: MB2114Z9 MB21 FOOTWEAR OVERCAP SERIES

## **Description**

Low shoe with composite toecap and Zero Penetration composite midsole. Full grain leather upper, featuring an overcap for additional protection. Metal Free.

PU FORCE dual density polyurethane sole. High density PU outsole with deep grooves offering excellent grip on uneven surfaces. Low density PU insole with anti-weariness properties. Extra wide fitting shoe which provides a secure fit, whatever foot shape. Anti-slip SRC standard. DUAL FRESH insole, Bicomponent with variable thickness and high anti-shock properties, preventing sweating effect.

3D-TEX polyester LINING for foot ventilation, reducing perspiration.

## Main features:

- High efficiencybreathable lining
- Lace holes with leather structure for a longer duration
- Special protection with overcap
- Sharp-edged cleats to help the grip on wet floors
- Outsole with increased thickness
- Outsole with open angles deep grooves
- Outsole resistant to oils and hydrocarbons
- Anti-shock system
- Anti-slip ribbing
- Increased wide fitting

The product has been designed and manufactured to comply with Regulation (EU) 2016/425 and subsequent amendments.



Category	Colours	Available Sizes
II	BLACK	39 - 47
Quantity/Carton	EN ISO 20345 Safety Class:S3 SRC	Important Information Construction, Mechanical Industry, Chemical Industry, Mining.  The footwear should be stored in a cool dry place, far from heat sources and direct light.  Make sure footwear is in good condition, before use. If the shoes are damaged, replace them.
Dexterity		Clean the footwear with a soft brush and water.