

Sir Safety System S.p.A. Single-member company Wholly-owned subsidiary of Sir Holding Srl Via dei Fornaciai, 9 - Santa Maria degli Angeli 06081 Assisi - Perugia - Italy Tel.+39 075.8043737 - Fax +39 075.8048686 VAT Nr. IT 03359340548 Viale Europa 74 20090 Cusago Milano Tel. +39 02.90394575 Fax +39 02.90394441

TECHNICAL SHEET

export@sirsafety.com www.sirsafety.com





Name: MOHER low shoe

Code: MB3020B6

MB30 FOOTWEAR - SIR FUTURE SERIES POWERED BY RESPONDER TECHNOLOGY

Description

Low shoe with an ultra-dynamic design, featuring aluminium toecap and composite midsole PS type, with constant thickness. Fitted with an upper made of super-breathable mesh and polyurethane, with suede inserts, closure with laces. E-TPU Responder/rubber outsole provides an excellent

elasticity and cushioning effect: the midsole made of expanded thermoplastic polyurethane spans the entiresoleof the foot, offering flexibility and full responsive cushioning. The rubber outsole, thanks to its deep longitudinal grooves, accentuates the flexibility of the sole and ensures excellent grip on all types of surfaces. SR slipresistant.

The RESPONDER insole is composed of a compound that bounds together

thousands of E-TPU beads with high elasticity and resilience properties. Lined and perforated in the plantar area with outstanding anti-shock properties. Antistatic.

The polyester mesh lining features excellent draining capacity thanks to its fabric and structure with high absorbing capacity.

Main features:

- ESD footwear.

- The patented RESPONDER technology used in the midsole and insole, provides outstanding responsive cushioning, extreme lightweightness and flexibilityover the entire surface of the foot, thus assuring excellent performance even after prolonged and intense use.

- Prismatic high-intensity iridescent reflective inserts for extra visibility in low-light conditions.

- The heel stabilizer prevents foot fatigue and improves foot stability.

- The additional overcap protects the shoe from shocks.

The product has been designed andmanufactured to comply with Regulation

(EU) 2016/425 and subsequent amendments.

The original footbed supplied with the shoe can be replaced, without voiding the EN ISO 20345, by the orthopedic footbed SENSOPED ESD by

Franz Seidel GmbH, which is compliant with the standard DGUV 112-191. Ø[¦Áč ¦c@ ¦Á§ -{ ¦{ æa]} }Á¦ |^æ ^Á8[} æ&dxØlæ) : ÁÙ^ãa|ÁÕ{ à PÁU¦c@] êåã Ë Ù&@ @^&@@ ǎÁØÜ[¦ãc ^¦•dæi ^Á4 | 93047 Regensburg, Germany | P. +49

(0)

94151598 | info@schuh-seidl.de | www. schuh-seidl.de

Category	Colours	Available Sizes
I	GREY	In stock: 35 - 48
Quantity/Carton	EC Standards	Important Information





VAT Nr. IT 03359340548 kiı Sir Safety System S.p.A. Single-member company export@sirsafety.com Wholly-owned subsidiary of Sir Holding Srl Via dei Fornaciai, 9 - Santa Maria degli Angeli Viale Europa 74 www.sirsafety.com 20090 Cusago Milano 06081 Assisi - Perugia - Italy Tel.+39 075.8043737 - Fax +39 075.8048686 Tel. +39 02.90394575 Fax +39 02.90394441 UNI EN ISO 9001:2015 UNI EN ISO 14001:2015 UNI EN ISO 45001:2018 EN ISO 20345 The footwear should be stored in a cool dry place, far from heat sources and direct light. Safety Class:S1PS FO SR EN 20345 Make sure footwear is in good condition, before use. If the shoes are damaged, replace them. EN 61340 10 Clean the footwear with a soft brush and water. DGUV 112-191 REUTIN Dexterity Storage and cleaning