

FICHE TECHNIQUE

Sir Safety System S.p.A. Single-member company Wholly-owned subsidiary of Sir Holding Srl Via dei Fornaciai, 9 - Santa Maria degli Angeli 06081 Assisi - Perugia - Italy Tel. 075.8043737 - Fax 075.8043747 VAT Nr. IT 03359340548 Viale Europa 74 20090 Cusago Milano Tel. 02.90394575 Fax 02.90394441 export@sirsafety.com www.sirsafety.com





Nome: Veste OPERATION POLYTECH STRETCH Code: MC5745QN A7)+JáH9A9BHG'GvF-9'DC@MH97<





Sir Safety System S.p.A. Single-member company Wholly-owned subsidiary of Sir Holding Srl Via dei Fornaciai, 9 - Santa Maria degli Angeli 06081 Assisi - Perugia - Italy Tel. 075.8043737 - Fax 075.8043747 VAT Nr. IT 03359340548 Viale Europa 74 20090 Cusago Milano Tel. 02.90394575 Fax 02.90394441

export@sirsafety.com www.sirsafety.com





Description

Veste en twill 74 % coton, 22 % polyester, 3ÂÂ Á.|æ c@a} } ^ÊA % fibre conductrice, 280 g/m ÁÁÃ • 'ÁS[} dæ c Á75 % coton, 24 % polyester, 1 % fibre conductrice, 280 g/m ;

″ÁÁÁÁÚær•æ) oÁ [ˇ¦Áà..c^&c^`¦Áà^Átæ ÁeÁå¦[ãc^ÉA,^¦{ ^cæ) oÁ}^Áãcæáa}}Á`\^Á\c facilement accessible de l'appareil ;

˝ÁÁÁÁÚ[ā'}^o Á.|æ cā ˇ^• Éh{]—&@a) ơÁæá,.}..dæā;}Áå^Á;[ˇ•• ã+^ Éå^Á å.à¦ā ÉåC&læà[ˇ••ˇ¦^•Á; Ăů@せ^} o Á&@ā ã ˇ^•ÁeÁ;ā c.lā ˇ¦Áå^Áæá; æ)&@ Á. ˝ÁÁÁÔ[ˇc'¦^•Áå[ˇà|^•Áæě ¢Á*}å![ão Á/•Á¦ˇ•Á[ˇ{ã·ÁæÁ³^•Á&[}dæā] c∿•Á·ÓÁ |C•ˇ¦^ÉÅ;[ˇ¦Á*ææ) cāÁ`}^Á;|ˇ•Á*¦æ) å^Á...aacæ) &^ÁróÁ`}^Á;|ˇ•Á[}* ˇ^Áaˇ¦....devie.

ŠŒŔŎÙVÒÆÖUŒÁ VÜÒÆÚUÜV" ÒÆŒKÒÔÆŠÒÆÚŒE VŒŠUÞ

X^•e^ÁsnákiæçænfÁn}Áxnē,•`Án[|^çæn/}dÉxneç^&Akiænner{^}ofÉt}ã:*^É£&[}8`^Án[`ˈ/ *ælæ) cālÁ}^Á..&`¦āc.Á; æ¢ā; æļ^ÁeÁ&^`¢Á`āÁsæçæāļ|^}cÁsæ)•Æl^•Á ^}çā[}}^{_^}o^ÁeÁ@ĕŏÁā; `^EAsBAØ¢][•āāā]}ÁeÆl^Á; `|çā]|^•Æsæ)*^¦•Á°•ÓA &[}•œa)c^ÈÀÒ||^Á;~-¦^Á}^Á;\[c^&œā;}Á\$jc.::|..^Á&[}d^Á|^•Á|;æ{{^•ÉÉ|æA chaleur convective, rayonnante et de contact, ainsi que contre les petites];[c^&caj}&&o_1} &&o_2} d^A^•A^•A;[b^&caj}•Aajāc.^•Aa^A*à•caa)&^•&&oaja*^•&&oaja* ĺã ˙ãã^ĒÙ[}Řsædæsko-¦^Ása) cã cancã ˙^ÀroÁ[}Ár∞A[}Ár∞Bæssão ÆbÁs[}৫/}ålÁC}^!*ārÁ |ãa.,L.,^ÁjædÁ;}Ásd&Á.|,^&dã ˇ^Ás •, ˙ @Á4Á.OÆs[{]|—e^}oÁrÁ,![-āAso,Á..&`lão.Á. | \$\frac{1}{2} \text{ |^}åæ)oÁ^Áç—c^{^}oÁ[ˇ]|^ÁroÁ^•]ãæ)oÁæ)•Á&[{]|[{^cd^ÁræÁ[à *• c^••^, ^oÁæÁ...•ãœ;&^Á;...&æ)ã ~¸ÈŠŷÁæã• ~Ár¢c^}•āa|^Áæç[jã^^ÁæÁãā^\c.Æå^Á å^}æ{ ã~^•Á,^}åæ}œ4^•Æ&æ&æããæ.•Á,![~^••ã}}^|\^•Æ&^•Å^}}-{\delta \delta \ |aaÁ, •ã ca) & Ás Áç-c\ ^} oÁ oÁ\ jÁse(...|ā[l^} oÁaÁgā ācā] Å• o@.cã ` ^È Š^Á&[|Á&[¦..^}ÊÁ;æð;•Á;[ã;c^•Á;ãÁ;æà;ææ•Á;æái|æ;o•ÊÁ;¦[c=*^Á;~a8æ&^{ ^}cA;æÁ; :[}^Á&^¦çã&æq^Áå^ÁæÁ&@æq^`¦Êáå^•Á.&|æà[``••`¦^•Árçáå^•Áæt^};@Ár¢c.láð`¦•Ê ₫ oá À å ã æ oá Áã ~ Áã ^Á ^ÁS ¸ ð & Åå æ • Áå · Á æ @ ^• Á Åå A Å å@æç[ālÁq[ˇbþˇ¦•ÁeÁ,[¦c.☆Áå^Á;æājÁ/v•Á;ઁæðjÁ/v•Á;àbかæÁ;åæō]^}•æà|^•Á]^}åæðjœÁrÁdæçæāþÆŠv•Á,[ā*}^œÁ.|æecãˇ^•Áæ•*'|^}œÁ;}^œÁ;{^č¦^Áæbŏ•c.☆. æ Å [ā } ^ dæ {] -&@æ dæ [* • • ã+^ Êk • Áå. à lã Êk • Á.&læ [* • • * l^• Á ok • Á æt^}œrÁ&@q ã``^•Á&^Á;..}..d^¦ÁeÁAa;c.l.ā^`¦Á&^ÁæÁ;æ)&@?È Ś^•Ásj•^¦ọ•Áspĕ}^•Ák[}d;ec.•Ás[}d;ec.•ÁsÁ@eĕd^Áşã;ābāðjāc.Ák8[{]|—e^}d^AÁs^•ãt}Á ^}çã[}}^{ ^}œÁ&æeæ&c.lã..•ÁjæeÁ}Á.&|æāaæ*^Ásj•~~ãæ)oÁjčÁ}^Áçãããaããc.Á ¦…åĭãa^È

EN COURS DE CERTIFICATION Š^Áj.¦[å ãnÁæÁ.c.Á&[}8 ÁroÁæà¦ã ..][' ¦Á-d^Á&[}-{ | { ^Áæ ÁÜ-* |^{ ^} oÁQNÒD 2016/425Ác^|Á ^ ^Á[[åãã.È









FICHE TECHNIQUE

Sir Safety System S.p.A. Single-member company Wholly-owned subsidiary of Sir Holding Srl Via dei Fornaciai, 9 - Santa Maria degli Angeli

06081 Assisi - Perugia - Italy Tel. 075.8043737 - Fax 075.8043747 VAT Nr. IT 03359340548 Viale Europa 74 20090 Cusago Milano Tel. 02.90394575 Fax 02.90394441

export@sirsafety.com www.sirsafety.com





Ôæc..*[¦ã\

Ш

20

Couleurs

BLEU/JAUNE HAUTE VIS.

Tailles disponibles En stock: 44 - 62

ĺÛ ĭæa) cãc.£ĐÔ[}ådÈ

Þ[¦{ææãc^Áå^Á..~.¦^}&^

EN 1149-5



EN ISO 11611



Classe:1 Valeurs:A1+A2

EN ISO 11612



 $\hat{O}[\{][\{c^{*}\}]$ $\hat{O}(a)$ $\hat{O}($ Chaleur Convective:B1 Chaleur Radiante:C1 Projections d' Aluminium Fondu:E3 Projections de Fer Fondu:F1

EN 13034



Type:6

CEI EN 61482-2



APC:1

Ö^¢c.l.ãc...

Avertissements

Lisez attentivement les instructions avant l'utilisation.

Ô[}•^¦ç^¦Ásaa)•Á`}Án}å¦[ãnÁ¦æan ÁnóÁn&ÉAeÁn@aà¦ãAs^•/ sources de chaleur

^o%s^ÁpæÁj`{ã+|^È Olēpæ}o%s@eĕ`^Árdāpāræaā[}ÊÁv~~^&c`^:Á\}Á\$[}df|^Á visuel pour vous assurer

~^Á\Áåãa][•ããÁ\•oÁ\}Ájæd-æãóÁ.ææ£ã;ææ&óÁoÁ;¦[]¦^É et remplacez-le

• @ A • O ... c. l. a l . . È

Š^•Áç-c^{ ^}; o•Á¦[c-*^}oÁ}ã~^{ ^}oÁæÁadcaðÁå~Á corps effectivement

&[`ç^¦e^Án óÁa[ãç^} óÁa[} &Á-d^Áæ••[¦cã•ÉÁn} Áf} &cãi} Á de leur usage, avec

{ æaj•ÉAjānå•DÉÀ)ãAj..&∧••æaj∧ÉA;¦[c.∴^:Á∧•Á∧č¢ÁnóÁ les voies

¦^•]ãaæ[ã^•Áå^Á; æ}ã-¦^Áæ]];[]¦ã∴È

Š^•Á&ædæ&c.lãcã~^•Á&^Á..&~lãc.Á\$påã~..^•Á,^Á[]c ¦^•]^&c.^•Á ັ^Áã

[@aļ] æb^āļÁ•oÁ...*`|ã+^{ ^}oÁ;[¦c.ÁroÁãc.ÁroÁ}Á]æd-ænnarÁ.cæneÈ

 \dot{U} \tilde{a}_{c} \dot{A} $\dot{A$

Õ ã Aé Á aentretien

